

**TRANSMITTAL OF INFORMATION DISCLOSURE STATEMENT**  
(Under 37 CFR 1.97(b) or 1.07(c))

**Docket No:**  
**PM 2000.010**

In Re Application Of: **Hans Thomann, et al.**

Serial No.  
09/973,529

Filing Date  
9 October 2001

Examiner

Group Art Unit

Title: **Method for Borehole Measurement of Formation Properties**

Address to:  
**Assistant Commissioner for Patents**  
**Washington, DC 20231**

**37 CFR 1.97(b)**

1. ☒ The Information Disclosure Statement submitted herewith is being filed within three months of the filing of a national application; within three months of the date of entry of the national stage as set forth in 37 CFR 1.491 in an international application; or before the mailing date of a first Office Action on the merits, whichever event occurs last.

**37 CFR 1.97(c)**

2. ☐ The Information Disclosure Statement submitted herewith is being filed after three months of the filing of a national application, or the date of entry of the national stage as set forth in 37 CFR 1.491 in an international application; or after the mailing date of a first Office Action on the merits, whichever occurred last but before the mailing date of either:

1. a Final Action under 37 CFR 1.113, or
2. a Notice of Allowance under 37 CFR 1.311,

Whichever occurs first.

Also submitted herewith is:

- ☐ a certification as specified in 37 CFR 1.97 (e);

**OR**

- ☐ the fee set forth in 37 CFR 1.17 (p) for submission of an Information Disclosure Statement under 37 CFR 1.97(c).

TECHNOLOGY CENTER 2800

AUG 18 2001

RECEIVED

**TRANSMITTAL OF INFORMATION DISCLOSURE STATEMENT**  
(Under 37 CFR 1.97(b) or 1.07(c))

**Docket No:**  
**PM 2000.010**

In Re Application Of: **Hans Thomann, et al.**

Serial No.  
09/973,529

AUG 13 2003

Filing Date  
9 October 2001

Examiner

Group Art. Unit

Title: **Method for Borehole Measurement of Formation Properties**

**Payment of Fee**

(Only complete if Applicant elects to pay the fee set forth in 37 CFR 1.17(p))

- ☐ A check in the amount of \_\_\_\_\_ is attached.
- ☒ The Assistant Commissioner is hereby authorized to charge and credit Deposit Account No. **05-1328** as described below. A duplicate copy of this sheet is enclosed.
- ☐ Charge the amount of \_\_\_\_\_
- ☐ Credit any overpayment.
- ☒ Charge any additional fee required.

*Stephen P. Koch*  
Signature

*January 21, 2002*  
Dated

Stephen P. Koch, Reg. No. 37,660

**ExxonMobil - Upstream Research Company**

P. O. Box 2189

Houston, TX 77252-2189

(713) 431-4811 Phone

(713) 431-4664 Fax


cc: LVA, JAJ


I certify that this document and fee is being deposited on 1-22-02 with the U.S. Postal Service as first class mail under 37 C.F.R. 1.8 and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.


*Maureen M. White*  
Signature of Person Mailing Correspondence

**Maureen M. White**

Typed or Printed Name of Person Mailing Correspondence

 <b>INFORMATION DISCLOSURE CITATION</b> <i>(Use several sheets if necessary)</i>				Docket Number (Optional) PM 2000.010		Application Number 09/973,529	
				Applicants Hans Thomann, et al.			
				Filing Date 10/9/01		Group Art Unit	
<b>U.S. PATENT DOCUMENTS</b>							
*EXAMINER INITIAL	REF	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
	A28	5,835,883	11/10/98	Neff, et al.	702	7	
	A29	5,936,913	08/10/99	Gill, et al.	367	25	
	A30	6,176,323	01/23/01	Weirich, et al.	175	40	
	A31	6,206,108	3/27/01	MacDonald, et al.	175	24	
	A32	6,023,444	2/8/00	Naville	367	82	
	A33	6,262,941	7/17/01	Naville	367	82	
<b>OTHER DOCUMENTS</b> <i>(Including Author, Title, Date, Pertinent Pages, Etc.)</i>							
	B1	Best, A.I., "The effect of Pressure on Ultrasonic Velocity and Attenuation in Near-Surface Sedimentary Rocks", Geophysical Prospecting, vol. 45, pp. 345-364, 1997.					
	B2	Best, A.I., McCann, C., and Sothcott, J., "The Relationships Between the Velocities, Attenuations and Petrophysical Properties of Reservoir Sedimentary Rocks", Geophysical Prospecting, vol. 42, pp. 151-178, 1994.					
	B3	Bowers, G.L., Pore Pressure Estimation from Velocity Data: Accounting for Overpressure Mechanisms Besides Undercompaction, 1994 IADC/SPE Drilling Conference, Dallas, Texas SPE 27488, pp. 515-530, 1994.					
	B4	Cadoret, T., Mavko, G., and Zinszner, B., "Fluid Distribution Effect on Sonic Attenuation in Partially Saturated Limestones," Geophysics, vol. 63, no. 1, pp. 154-160, February 1998.					
	B5	Christensen, N.I., and Wang, H.F., "The Influence of Pore Pressure and Confining Pressure on Dynamic Elastic Properties of Berea Sandstone," Geophysics, vol. 50, no. 2, pp. 207-213, February 1985.					
	B6	Dunn, K.J., "Acoustic Attenuation in Fluid-Saturated Porous Cylinders at Low Frequencies," J. Acoust. Soc. Am., vol. 79, no. 6, pp. 1709-1721, June 1986.					
	B7	Dunn, K.J., "Sample Boundary Effect in Acoustic Attenuation of Fluid-Saturated Porous Cylinders," J. Acoust. Soc. Am., vol. 81, no. 5, pp. 1259-1266, May 1987.					
	B8	Dvorkin, J. Nolen-Hoeksema, R., and Nur, A., "The Squirt-Flow Mechanism: Macroscopic Description", Geophysics, vol. 59, no. 3, pp. 428-438, March 1994.					
	B9	Dvorkin, J., and Nur, A., "Dynamic Poroelasticity: A Unified Model with the Squirt and the Biot Mechanisms", Geophysics, vol. 58, no. 4, pp. 524-533, April 1993.					
	B10	Dvorkin, J., Mavko, G., and Nur, A., "Squirt Flow in Fully Saturated Rocks," Geophysics, vol. 60, no. 1, pp. 97-107, January-February 1995.					
	B11	Esmersoy, C., et al., "Acoustic Imaging of Reservoir Structure from a Horizontal Well", The Leading Edge, pp. 940-946, July 1998.					
	B12	Goldberg, D., and Zinszner, B., "P-wave attenuation Measurements from Laboratory Resonance and Sonic Waveform Data", Geophysics, vol. 54, no. 1, pp. 76-81, January 1989.					
	B13	Green, D.H., and Wang, H.F., "Fluid Pressure Response to Undrained Compression in Saturated Sedimentary Rock", Geophysics, vol. 51, no. 4, pp. 948-956, April 1986.					
EXAMINER				DATE CONSIDERED			
EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.							

 <p align="center"><b>INFORMATION DISCLOSURE CITATION</b> (Use several sheets if necessary)</p>		Docket Number (Optional) PM 2000.010	Application Number 09/973,529
		Applicants Hans Thomann, et al.	
		Filing Date 10/9/01	Group Art Unit
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)			
	B14	Han, De-hua, Nur, A., and Morgan, D., "Effects of Porosity and Clay Content on Wave Velocities in Sandstones", Geophysics, vol. 51, no. 11, pp. 2093-2107, November 1986.	
	B15	Jones, T.D., "Pore Fluids and Frequency-Dependent Wave Propagation in Rocks", Geophysics, vol. 51, no. 10, pp. 1939-1953, October 1986.	
	B16	Jones, T.D., and Nur, A., "Velocity and Attenuation in Sandstone at Elevated Temperatures and Pressures", Geophysical Research Letters, vol. 10, no. 2, pp. 140-143, February 1983.	
	B17	Lucet, N., and Zinszner, B., "Effects of Heterogeneities and Anisotropy on Sonic and Ultrasonic Attenuation in Rocks", Geophysics, vol. 47, no. 8, pp. 1018-2026, August 1992.	
	B18	Lucet, N., Rasolofosaon, P.N.J., and Zinszner, B., "Sonic Properties of Rocks Under Confining Pressure Using the Resonant Bar Technique", J. Acoust. Soc. Am., vol 89, no. 3, pp. 980-990, March 1991.	
	B19	Mavko, G., and Jizba, D., "The Relation Between Seismic P- and S-wave Velocity Dispersion in Saturated Rocks", Geophysics, vol 59, no. 1, pp. 87-92, January 1994.	
	B20	Menke, W., and Dubendorff, B., "Discriminating Intrinsic and Apparent Attenuation in Layered Rock", Geophysical Research Letters, vol. 12, no. 10, pp. 721-724, October 1985.	
	B21	Morig, R., and Burkhardt, H., "Experimental Evidence for the Biot-Gardner Theory", Geophysics, vol. 54, no. 4, pp. 524-527, April 1989.	
	B22	Murphy, F., III, "Effects of Partial Water Saturation on Attenuation in Massillon Sandstone and Vycor Porous Glass", J. Acoust. Soc. Am., vol. 71, no. 6, pp. 1458-1468, June 1982.	
	B23	Tittman, B.R., et al. "Dissipation of Elastic Waves in Fluid Saturated Rocks", Physics and Chemistry of Porous Media, American Institute of Physics, pp. 131-143, 1984.	
	B24	O'Connell, R. J., and Budiansky, B., "Viscoelastic Properties of Fluid-Saturated Cracked Solids", Journal of Geophysical Research, vol. 82, no. 36, pp. 5719-5735, December 10, 1977.	
	B25	O'Hara, S.G., "Influence of Pressure, Temperature, and Pore Fluid on the Frequency-Dependent Attenuation of Elastic Waves in Berea Sandstone", Physical Review A, vol.32, no. 1, pp.472-488, July 1985.	
	B26	O'Hara, S.G., "Elastic-Wave Attenuation in Fluid-Saturated Berea Sandstone", Geophysics, vol. 54, no. 6, pp. 785-788, June 1989.	
	B27	Palmer, L.D., and Traviolia, M.L., "Attenuation by Squirt Flow in Undersaturated Gas Sands", Geophysics, vol. 45, no. 12, pp. 1780-1792, December 1980.	
	B28	Parra, J.O., "The Transversely Isotropic Poroelastic Wave Equation Including the Biot and the Squirt Mechanisms: Theory and Application", Geophysics, vol. 62, no. 1, pp. 309-318, January-February 1997.	
	B29	Prasad, M., and Manghnani, M.H., "Effects of Pore and Differential Pressure on Compressional Wave Velocity and Quality Factor in Berea and Michigan Sandstones", Geophysics, vol. 62, no. 4, pp. 1163-1176, July-August 1997.	
	B30	Sams, M.S., Neep, J.P., Worthington, M.H., and King, M.S., "The Measurement of Velocity Dispersion and Frequency-Dependent Intrinsic Attenuation in Sedimentary Rocks", Geophysics, vol. 62, no. 5, pp. 1456-1464, September-October 1997.	
		DATE CONSIDERED	
Considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance. Include copy of this form with next communication to applicant.			
Copyright 1994-97 LegalStar		PO9A/REV03 Patent and Trademark Office* U.S. Department of Commerce	
SHEET 3 OF 6			



# INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Docket Number (Optional)

PM 2000.010

Application Number

09/973,529

Applicants

Hans Thomann, et al.

Filing Date

10/9/01

Group Art Unit

## OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

B31

Spencer, J.W., Jr., "Bulk and Shear Attenuation in Berea Sandstone: The Effects of Pore Fluids", Journal of Geophysical Research, vol. 84, no. B13, pp. 7521-7523, December 10, 1979.

B32

Spencer, J.W., Jr., "Stress Relaxations at Low Frequencies in Fluid-saturated Rocks: Attenuation and Modulus Dispersion", Journal of Geophysical Research, vol. 86, no. B3, pp. 1803-1812, March 10, 1981.

B33

Kamata, M., et al, "Drill- bit seismic a service for drilling optimization", SPWLA, 38<sup>th</sup> Symposium, June 15-18, 1997.

B34

Kamata, M., Underhill, W., Meechan, R., and Nutt, L., "Real-time seismic-while-drilling offer savings, improves safety", Petrol. Eng. Vol. 70, no. 10, pp. 37-39, October 1997.

B35

McMillin, K, "Deepwater generates interesting seismic-while-drilling technology", Offshore, pp. 44, 104, March 1999.

B36

Meehan, R., et al, "Rekindling interest in seismic while drilling", Oilfield Review, pp. 4-13, January 1993.

B37

Meehan, R., Nutt, L., Dutta, N., and Menzies, J., "Seismic information helps predict drilling hazards, choose chasing point", Oil and Gas Journal, pp. 53-60, May 11, 1998.

B38

Nutt, L., "Drill bit seismic improves drilling data", The American Oil & Gas Reporter, pp. 57-62, November 1997.

B39

Poletto, F., et al, "Seismic while drilling using PDC signals - SEISBIT experience and perspectives", EAGE 59<sup>th</sup> Conference and Technical Exhibition, Geneva, Switzerland, May 26-30, 1997.

B40

Ramaswamy, M., and Ioup, G.E., "Autocorrelation estimation using constrained iterative spectral deconvolution", Geophysics, vol. 54, no. 3, pp. 381-391, March 1989.

B41

Rector, J.W., III, "Drill string wave modes produced by a working drill bit", 62<sup>nd</sup> Ann. Int. Mtg. SEC, Expanded Abstracts, pp. 155-158, 1992.

B42

Rector, J.W., III and Hardage, B.A., "Radiation pattern and seismic waves generated by a rollercone drill bit", Geophysics, vol. 57, no. 10, pp. 1319-1333, October 1992.

B43

Rector, J.W., III, and Marion, B.P., "The use of drill-bit energy as a downhole seismic source", Geophysics, vol. 56, no. 5, pp. 628-634, May 1991.

B44

Rector, J.W., III, Marion, B.P., and Hardage, R.A., "The use of an active drill bit for inverse VSP measurements", 7<sup>th</sup> ASEG Conference and Exhibition, vol. 20, pp. 343-346, September 24-29, 1989.

B45

Rector, J.W., Marion, B.P., and Widow, B., "Use of drill bit energy as a downhole seismic source", 58<sup>th</sup> Ann. Int. Mtg. Of SEG, Expanded Abstracts, pp. 161-164, 1988.

B46

Tittmann, B.R., Nadler, H., Clark, V.A., and Ahlberg, L.A., "Frequency dependence of seismic dissipation in saturated rock", Journal of Geophysical Research Letters, vol. 8, no. 1, pp. 36-38, January 1981.

B47

Todd, T., and Simmons, G., "Effect of pore pressure on the velocity of compressional waves in low-porosity rocks", Journal of Geophysical Research, vol. 77, no. 20, pp. 3731-3743, July 10, 1972.

MINER

DATE CONSIDERED

MINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.


PTO-A820

Copyright 1994-97 LegalStar

PO9A/REV03

Patent and Trademark Office\* U.S. Department of Commerce

SHEET 4 OF 6

 <p><b>FORMATION DISCLOSURE CITATION</b> (Use several sheets if necessary)</p>		Docket Number (Optional)	Application Number	
		PM 2000.010		09/973,529
		Applicants		Hans Thomann, et al.
		Filing Date	Group Art Unit	
		10/9/01		
<b>OTHER DOCUMENTS</b> (Including Author, Title, Date, Pertinent Pages, Etc.)				
B48	Tutuncu, A.N., Podio, A.L., and Sharma, M.M., "Nonlinear viscoelastic behavior of sedimentary rocks, Part II: Hysteresis effects and influence of type of fluid on elastic moduli", Geophysics, vol. 63, no. 1, pp. 195-203, January-February 1998.			
B49	Tutuncu, A.N., Podio, A.L., Gregory, A.R., and Sharma, M.M., "Nonlinear viscoelastic behavior of sedimentary rocks, Part I: Effect of frequency and strain amplitude", Geophysics, vol. 63, no. 1, pp. 184-194, January-February 1998.			
B50	Vo-thanh, D., "Effects of fluid viscosity on shear-wave attenuation in saturated sandstones", Geophysics, vol. 55, no. 6, pp. 712-722, June 1990.			
B51	White, J.E., "Biot-Gardener theory of extensional waves in porous rods", Geophysics, vol. 51, no. 3, pp. 742-745, March 1986.			
B52	Winkler, K.W., "Frequency dependent ultrasonic properties of high-porosity sandstones" Journal of Geophysical Research, vol. 88, no. B11, pp. 9493-9499, November 10, 1983.			
B53	Winkler, K.W., "Dispersion analysis of velocity and attenuation in Berea sandstones", Journal of Geophysical Research, vol. 90, #B8, pp. 6793-6800, July 10, 1985.			
B54	Winkler, K.W., and Nur, A., "Seismic attenuation: effects of pore fluids and frictional sliding", Geophysics, vol. 47#1, pp. 1-15, January 1982.			
B55	Aleotti, L., et al, 1994, "Impact of drill-bit seismic method on explorative wells", EAGE-56 <sup>th</sup> Meeting and Technical Exhibition., Vienna, Austria, June 6-10, 1994.			
B56	Aleotti, L., et al, "SEISBIT-Latest applications of seismic while drilling technology", 57 <sup>th</sup> EAGE Conference and Technical Exhibition, May 29-June 2, 1995.			
B57	Aleotti, L., et al, "Seismic while-drilling technology: use and analysis of drill-bit seismic source in a cross-hole survey", Geophysical Prospecting, vol. 47, pp. 25-39, May-June, 1995.			
B58	Bertelli, L., Savini, L., and Martera, M.D., 1997, "While Drilling Methodologies-the integration strategy and the impact of E&P activities", EAGE 59 <sup>th</sup> Conference and Technical Exhibition, Geneva, Switzerland, May 26-30, 1997.			
B59	Borland, W.H., et al, "Drill bit seismic, vertical seismic profiling, and seismic depth imaging to aid drilling decisions in the Tho Tinh structure-Nam Con Son basin-Vietnam", 95 <sup>th</sup> Society of Exploration Geophysicists of Japan, Kyoto, October 23, 1996.			
B60	Borland, W.H. and Drew, J, "Drilling Hazard Risk Reduction in Brunei Using Surface and Drill Bit Seismic Data", IADC Well Control Conference for the Asia Pacific Region, Singapore, December 4-5, 1997.			
B61	Jackson, M., and Einchcomb, C., "Seismic While Drilling: Operational Experiences in Vietnam", World Oil, pp. 50, 53, March 1997.			
B62	Williams, D.M., et al, 1984, "The Long Spaced Acoustic Logging tool", SPWLA 25 <sup>th</sup> Annual Logging Symposium, June 10-13, 1994.			
B63	Dickinson, George, "Geological Aspects of Abnormal Reservoir Pressures in Gulf Coast Louisiana", Bulletin of the American Assoc. of Petroleum Geologists, Vol. 37, No. 2, pp. 410-432, February 1953.			
B64	Payne, Michael A., "Looking Ahead with Vertical Seismic Profiles", Geophysics, Vol. 59, No. 8, pp. 1182-1191, August 1994.			

EXAMINER	DATE CONSIDERED
EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

(Use several sheets if necessary)

PM 2000.010

~~09/686,735~~

Hans Thomann, et al.

10/10/01

Group Art Unit

**OTHER DOCUMENTS** *(Including Author, Title, Date, Pertinent Pages, Etc.)*

[illegible]

**EXAMINER**

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-A820

Copyright 1994-97 LegalStar

PO9A/REV03

Patent and Trademark Office\* U.S. Department of Commerce

(also form PTO-1449)

SHEET 6 OF 6

RECEIVED  
AUG 18 2013  
TECHNOLOGY CENTER 2800



PM 2000.010

09/973,529

### Applicants

Hans Thomann, et al.

Filing Date

10/9/01

Group Art Unit

## U.S. PATENT DOCUMENTS

### OTHER DOCUMENTS *(Including Author, Title, Date, Pertinent Pages, Etc.)*

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-A820

Copyright 1994-97 LegalStar

PO9A/REV03

Patent and Trademark Office\* U.S. Department of Commerce

(also form PTO-1449)

SHEET 1 OF 1